

- Tabuki, R., and Nohara, T. (1988) : Preliminary Study on the Ecology of Ostracods from the Moat of Coral Reef off Sesoko Island, Okinawa, Japan. In. Hanai, T., Ikeya, N. and Ishizaki, K. (eds.), *Evolutionary Biology of Ostracoda, its Fundamentals and Applications ; Developments in Palaeontology and Stratigraphy*, 11, Kodansha Scientific Ltd., Tokyo, 429-437.
- 武岡英隆 (1984) : 海洋構造と貧酸素水塊の生成機構, 燧灘の海洋構造と貧酸素水塊の生成機構に関する研究 (環境科学研究報告集 B210-R01-3), 137-143.
- 柳哲雄・樋口明生 (1981) : 瀬戸内海の潮汐・潮流, 第28回海岸工学講演会論文集, 555-558.
- Zhou, B., (1995) : Recent Ostracode Fauna in the Pacific off Southwest Japan. *Memoirs of the Faculty of Science, Kyoto University, Series of Geology and Mineralogy*, 57 (2), 21-98, Pls. 1-6.

Plates 1-12

Plate 1

- Fig. 1. *Ambocythere japonica* Ishizaki, 1968
Lateral view of right valve, EPSM-AR194, $\times 133$, St. 3
- Fig. 2. *Ambtonia obai* (Ishizaki, 1971)
Lateral view of left valve, EPSM-AR195, $\times 120$, St. 8
- Fig. 3. *Amphileberis nipponica* (Yajima, 1978)
Lateral view of left valve, EPSM-AR196, $\times 88$, St. 24
- Fig. 4. *Anchistrocheles yamaguchii* Yajima, 1987
Lateral view of right valve, EPSM-AR197, $\times 120$, St. 26
- Figs. 5a-d. *Aurila cymba* (Brady, 1869)
5a. Lateral view of female right valve, EPSM-AR198, $\times 79$, St. 8
5b. Lateral view of female left valve, EPSM-AR199, $\times 80$, St. 8
5c. Lateral view of male right valve, EPSM-AR200, $\times 79$, St. 8
5d. Lateral view of male left valve, EPSM-AR201, $\times 79$, St. 8
5e. Lateral view of juvenile left valve, EPSM-AR202, $\times 98$, St. 8
- Fig. 6. *Aurila cf. cymba* (Brady, 1869)
Lateral view of right valve, EPSM-AR203, $\times 86$, St. 6




Plate 2

Fig. 1. *Aurila disparata* Okubo, 1980

Lateral view of right valve, EPSM-AR204, $\times 102$, St. 8

Figs. 2a-c. *Aurila cf. Kiritsubo* Yajima, 1982

2a. Lateral view of female right valve, EPSM-AR205, $\times 83$, St. 3

2b. Lateral view of female left valve of the same individual, $\times 83$

2c. Lateral view of juvenile left valve, EPSM-AR206, $\times 105$, St. 3

Fig. 3. *Aurila tosaensis* Ishizaki, 1968

Lateral view of right valve, EPSM-AR207, $\times 98$, St. 3

Fig. 4. *Bicornucythere bisanensis* (Okubo, 1975)

Lateral view of female left valve, EPSM-AR208, $\times 83$, St. 13

Fig. 5. *Buntonia* sp.

Lateral view of juvenile left valve, EPSM-AR209, $\times 148$, St. 44

Fig. 6. *Bythoceratine angulata* Yajima, 1987

Lateral view of right valve, EPSM-AR210, $\times 103$, St. 3

Fig. 7. *Bythoceratine hanaii* Ishizaki, 1968

Lateral view of left valve, EPSM-AR211, $\times 108$, St. 26

Fig. 8. *Bythoceratine cf. hanaii* Ishizaki, 1968

Lateral view of left valve, EPSM-AR212, $\times 114$, St. 26